Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (currently amended): A dye mixture comprising at least one dye of formula



(1)

together with at least one dye of formula



~~(2),~~



(2a)

wherein

R_1 and R_2 are each independently of the other hydrogen or unsubstituted or substituted C_1-C_4 alkyl,

$(R_3)_{0-3}$, ~~$(R_4)_{0-3}$ and $(R_5)_{0-3}$ denote, each independently of the others,~~ denotes from 0 to 3 identical or differing substituents from the group halogen, C_1-C_4 alkyl, C_1-C_4 alkoxy, carboxy and sulfo,

A is unsubstituted or substituted phenylene, naphthylene, or C_2-C_8 alkylene which may be interrupted by oxygen,

X_1 is halogen or a non-fibre-reactive substituent, ~~and~~

q is the number 0 or 1,

~~r and s are each independently of the other the number 0 or 1, and the sum of r + s is the number 1 or 2,~~

Y_1, Y_2, Y_3 and Y_4 are each independently of the others a fibre-reactive radical of formula

$$-SO_2-Z \quad (3a),$$

$$-NH-CO-(CH_2)_m-SO_2-Z \quad (3b),$$

$$-CONH-(CH_2)_n-SO_2-Z \quad (3c),$$

$$-NH-CO-CH(Hal)-CH_2-Hal \quad (3d),$$

$$-NH-CO-C(Hal)=CH_2 \quad (3e) \text{ or}$$



(3f),

wherein

X_2 is halogen, T independently has the definition of X_2, is a non-fibre-reactive substituent or is a fibre-reactive radical of formula



(4a),

$$-NH-(CH_2)_{2-3}-O-(CH_2)_{2-3}-SO_2-Z \quad (4b),$$



(4c),



(4d) or



(4e),

$(R_6)_{0-2}$ denotes from 0 to 2 identical or differing substituents from the group halogen, C_1-C_4 alkyl, C_1-C_4 alkoxy and sulfo,

Z is vinyl or a radical $-CH_2-CH_2-U$ and U is a group removable under alkaline conditions,

Q is a group $-CH(Hal)-CH_2-Hal$ or $-C(Hal)=CH_2$,

m and n are each independently of the other the number 2, 3 or 4, and

Hal is halogen, and

$(R_4)_{0-2}$ and $(R_5)_{0-2}$ denote, each independently of the other, from 0 to 2 identical or differing substituents selected from the group C_1-C_4 alkyl, C_1-C_4 alkoxy and sulfo, and one of the fibre-reactive radicals Y_3 and Y_4 is a radical of formula (3a), (3b), (3c), (3d) or (3e) and the other of the fibre-reactive radicals Y_3 and Y_4 is a radical of formula (3b) or (3f).

~~at least one of the radicals Y_3 and Y_4 being a radical of formula (3b) or (3f).~~

2. (original): A dye mixture according to claim 1, wherein R_1 is hydrogen, methyl or ethyl and R_2 is hydrogen.

3. (previously presented): A dye mixture according to claim 1, wherein X_1 is chlorine.

4. (previously presented): A dye mixture according to claim 1, wherein $-A-Y_1$ is a radical of formula



(5a),



(5b) or



(5c),

wherein

$(R_7)_{0-2}$ denotes from 0 to 2 identical or differing substituents from the group halogen, C_1-C_4alkyl, C_1-C_4alkoxy and sulfo,

m is the number 2 or 3, and

Z_1, Z_2 and Z_3 are each independently of the others vinyl, β-chloroethyl or β-sulfatoethyl.

5. (previously presented): A dye mixture according to claim 1, wherein the dye of formula (1) is a dye of formula



(1a)

wherein

R_1 is hydrogen, methyl or ethyl and

Z_1 is vinyl, β-chloroethyl or β-sulfatoethyl.

6. (cancelled):

7. (previously presented): A method of dyeing or printing of hydroxyl-group-containing or nitrogen-containing fibre material, which comprises contacting said material with a tinctorially effective amount of a dye mixture according to claim 1.

8. (previously presented): A method according to claim 7, wherein cellulosic fibre material is dyed or printed.

9. (original): An aqueous ink comprising a dye mixture according to claim 1.

10. (previously presented): A method of printing of hydroxyl-group-containing or nitrogen-containing fibre material, which comprises printing said material with an aqueous ink according to claim 9 in an inkjet printer.

11. (previously presented): A method according to claim 7, wherein cotton-containing fibre material is dyed or printed.